



Udyama
Pos

GROW YOUR BUSINESS WITH **UDYAMA** POS BILLING SYSTEM



Label Printer
UDY411

LABEL PRINTER



LABEL PRINTER

**Udyama
Pos**



FEATURES:

Wireless transmission

Transmission Distance:

100M/open field

30M/Easily through one concrete walls

20M/Easily through two concrete walls

Support most WIFI :

WEP/WAP-PSK/WAP2-PSK128/WAPI

Encryption Methods:

WEP64/WEP128/TKIP/AES

Support network protocol:

TCP/UDP/ARP/ICMP/HTTP/DNS/DHCP



PRODUCT SPECIFICATION



1



2



3



Udyama
Pos

SPECIFICATIONS



Printing Method	Thermal Line
Printing Speed	150mm/s
Resolution	8 dots/mm, 864 dots/line
Printing Width	20-108mm
Character Set	ANK,GB18030(Chinese)
Print Font	ANK: 12 x24 ,9x17 Chinese: 24 x 24
Character per Line	48 fontA /64 font b
Paper TypeThermal paper	Paper Width25.4-110mm
Paper Roll Diameter	Max: 120mmRoll Core
Inner Diameter	13mm(min.)
Paper Thickness	0.06 to 0.07mm
Auto Cutter	N/C
TPH	100km
Barcodes	UPC-A,UPC-C,EAN-13,EAN-8,CODE39,ITF,CODE93,CODE128
Sensor	Paper Near End Sensor, Paper End Sensor
Drawer Port	1 Port
Interface	USB, LAN, Serial, Parallel
Power Supply (Adapter)	AC100 ~240V(± 10%) DC 24V, 2A
Gross Weight	14kg
Printer Dimension	145 x 185x 145 mm
Package Dimension(1pc)	210 x 295x180mm
Carton demension	420 x 590 x 360mm

